SylaquaTM P-280

Base Coat





Wooden Floors - Base Coat

Protect and prime the wooden surface

SylaquaTM P-280 1K Parquet Base Coat

P-280 is a unique water borne primer for wooden floors, which enhances the natural wood warmth of the wooden surface, with high build, fast drying, low VOC's, excellent leveling, easy application, and sanding.

Natural wood warmth and wood coloration are intensified, with vivid warmth and harmonious equanimity. The end user benefits by a wooden surface, which reflects the natural wood warmth and intensifies wood coloration.

Nanotechnology is applied to the finest level. Particles penetrate, fill, seal and protect the wooden surface. The applicator can achieve immediate filling of the wooden surface, creating the mechanical benefits of a solid surface seen especially in the increased protection of the wooden surface. Top coats present excellent adhesion to the P-280 primer, achieving a uniform system. The complete adhesion and elasticity of the system allows higher mechanical properties, which in time allow increased surface hardness and longevity.

P-280 primer is practically odorless with low levels of Volatile Organic Compound. A member of the SylaquaTM product range, the primer is environment and user friendly.



high build


Distinguished coatings demand high build primers. Protect the wooden with a solid non-compromised surface. Effortless immediate filling with complete satisfaction. Create a high build base-coat with the outmost protection of the wooden surface

nanotechnology

The finest particles penetrate the wooden surface, fill, seal and protect the surface. The complete adhesion and elasticity of the system allows higher mechanical properties, which in time allow increased surface hardness and longevity.

wood warmth

Natural wood warmth and wood coloration are intensified, highlighting the wooden texture.



Water borne, environmentally friendly coatings with extremely low levels of Volatile Organic Compounds (low VOC's), practically odorless. The product is environment and user friendly.

Contractor Benefits

User friendly
Excellent leveling
High build
Fast drying
Easy sanding
Advanced adhesion

User Benefits

Environmentally friendly Nanotechnology Mechanical resistance Wood warmth



| SUGGESTED PRODUCT COMBINATIONS AND BENEFITS | | | | | | |
|---|----------------------------------|----------------------|---------------------|--------------------------|------------------------|---|
| BASE COAT | TOP COAT | NATURAL WOOD FEEL | WATER RESISTANCE | MECHANICAL RESISTANCE | CHEMICAL RESISTANCE | HARDENING TECHNOLOGIES OFFERING LONG PRODUCT LIFESPAN |
| Sylaqua [™] P-280 | Sylaqua [™] P-780 1K | *** | *** | *** | *** | Ceramic nanoparticles Novel oxygen hardening |
| Sylaqua [™] P-280 | Sylaqua [™] P-880 2K | *** | *** | *** | *** | Ceramic nanoparticles Novel oxygen hardening Superior chemical resistance |

Sylac S.A.

Vamish & Coatings T +30 22620 32331 F +30 22620 31709

www.sylac.gr