

Parquet Varnish

Sylaqua P-880 Sport

Sylac

Varnish & Coating Technology
for wooden surfaces



Diamond
hardness

Sylaqua™ P-880 Sport

2K Parquet Top Coat

Surpassing all previous standards for durability of parquet surfaces Sylaqua™ 2K P-880 Sport is a parquet varnish for the most demanding high traffic commercial and industrial surfaces with exposure to all types of wear.

The system incorporates the latest technological developments including novel hardener, cross linking via air and oil interception and ceramic nano-particles secure protection.

The coating offers superior resistance to scratches, scuffs, black heel marks, household chemicals including superior abrasion. All in one, a durable, diamond hard, environmentally and user friendly coating.

P-780 parquet top coat is practically odorless with low levels of Volatile Organic Compound. A member of the Sylaqua™ product range, the primer is environment and user friendly.



High traffic areas... sports, activities, work



Novel Hardener

Producing superior hardening means superior resistance to scratches, scuffs, black heel marks, abrasion and chemical resistance. The final surface is a diamond hard surface, that protects the wooden surface from wear and tear, while retaining its initial appearance.

Cross-linking via oil air interaction

Superior chemical resistance, allowing the use of household chemicals. Even after the repeated use of household detergents, the surface remains like new. A promise kept!

Ceramic nanoparticles

Imagine little diamond crystals, incorporated into the coating, withstanding every attempt to damage the surface. These ceramic nanoparticles offer secure protection to the surface..

Contractor Benefits

- Superior leveling
- Easy application
- Problem free durability
- Extreme hardness

User Benefits

- Superior resistance to
 - scuffs
 - black heel marks
 - household chemicals
 - abrasion resistance
 - environmentally friendly

Sylac

Varnish & Coating Technology
for wooden surfaces

SUGGESTED PRODUCT COMBINATIONS AND BENEFITS

BASE COAT	TOP COAT	NATURAL WOOD FEEL	WATER RESISTANCE	MECHANICAL RESISTANCE	CHEMICAL RESISTANCE	HARDENING TECHNOLOGIES OFFERING LONG PRODUCT LIFESPAN
Sylaqua™ P-280	Sylaqua™ P-780 1K	***	***	***	***	1. Ceramic nanoparticles 2. Novel oxygen hardening
Sylaqua™ P-280	Sylaqua™ P-880 2K	***	***	***	****	1. Ceramic nanoparticles 2. Novel oxygen hardening 3. 2K Superior chemical resistance

GLOSS LEVELS

Product Name	Gloss Level	Description
Sylaqua™ P-880/10 1K	10%	Mat
Sylaqua™ P-880/20 1K	20%	Semi-Mat
Sylaqua™ P-880/40 1K	40%	Satin
Sylaqua™ P-880/60 1K	60%	Satin Gloss
Sylaqua™ P-880/80 1K	80%	Gloss
Sylaqua™ P-880/100 1K	100%	High Gloss

Sylac S.A.

Varnish & Coatings

T +30 22620 32331

F +30 22620 31709

www.sylac.gr